

## SPECIAL FEATURES:

1) SHAFT SEALS & V-RING

2) DRAIN HOLES IN ENDBELLS & CONDUIT BOX

3) STAINLESS STEEL SHAFT, HARDWARE & NAMEPLATE

4) GASKETS THROUGHOUT

DASH NO.	"C"	"AD"
700	12.06	4.44
750	12.56	4.94
800	13.06	5.44

MAXIMUM FACE RUNOUT .004 T.I.R. MAXIMUM PILOT ECCENTRICITY .004 T.I.R. PERMISSIBLE SHAFT RUNOUT .002 T.I.R.

000   13.00   3.44												
				TOL UNLES	ERANCES S SPECIFIED		ELECTRI	с мо	TORS	DRAWN	RDW 02/18	3/02
				DEC.	INCHES	((	GEARI	/OTO	RS	снк		
04	SHAFT END E.B. WAS 021255-19 PER ECO 04-1702	LST 9/17/04		.x	±.1		AND	DRIV	ES	APPD	KMM 02/18	3/02
03	MOVED NP PER ENGR	RDW 5/9/03	SW	.xx	±.03	TITLE	OUTLINE - 56HC FRAME			SCALE	3=8	
02	L.E. ENDBELL WAS 021209.27	KMM 8/19/02		.xxx	±.005	TENV - RIGID "C"				REF		
01	NAMEPLATE WAS ABOVE COND. BOX, PER ECR 71985	RLW 6/20/02	BJB	.xxxx	±.0005	MAT'L.	- WASHGUARD			FMF		
NO.	REVISION	BY & DATE	СНК	ANG	±1/2°	FINISH				PREV		
IN CONNECTION WITH OUR WORK ALL RIGHTS OF DESIGN AND INVENTION ARE RESERVED			RFP	0:	2/18/02	CAD FIL	E 034918	SIZE	DRAWING NO	).		REV.
			DIST				7 A	0.3	3491	8	04	