



(4) 1/2-13 UNC-2B X .75 DEEP ON A Ø7.250 B.C.

GASKETS THROUGHOUT  
 MAXIMUM FACE RUNOUT TO BE .004 T.I.R.  
 MAXIMUM PILOT ECCENTRICITY TO BE .004 T.I.R.  
 PERMISSIBLE SHAFT RUNOUT TO BE .002 T.I.R.  
 ALIGN BASE TO C-FACE MOUNTING HOLES WITHIN ±1/16"

DASH NO.	"C"	"AD"
1100	16.25	4.75
1150	16.75	5.25
1200	17.25	5.75
1250	17.75	6.25
1300	18.25	6.75
1350	18.75	7.25
1400	19.25	7.75

REVISION		BY & DATE	CHK	ANG	FINISH	TITLE		SCALE	REV.
01	UPDATED PER MT2 CONVERSION	LST 1/20/10				ELECTRIC MOTORS GEARMOTORS AND DRIVES		3=B	01
THIS DRAWING IN DESIGN AND DETAIL IS OUR PROPERTY AND MUST NOT BE USED EXCEPT IN CONNECTION WITH OUR WORK ALL RIGHTS OF DESIGN AND INVENTION ARE RESERVED THIS IS AN ELECTRONICALLY GENERATED DOCUMENT - DO NOT SCALE THIS PRINT			RFP	6/29/05	CAD FILE	037635	SIZE B	DRAWING NO. 037635	REV. 01