


NOTES:

1. C.BOX CAN BE ROTATED IN 90° STEPS
2. C.BOX CAN BE MOUNTED ON OPPOSITE SIDE BY REMOVING BRACKETS AND TURNING FRAME 180°
3. NAMEPLATES TO BE READ FROM CONDUIT BOX SIDE OF MOTOR



| | | | | | | | | TOLERANCES UNLESS SPECIFIED | | | ELECTRIC MOTORS GEARMOTORS AND DRIVES | DRAWN NJS 05-16-2002 | | |
|------|-------|-------|-------|-------|-------|------|-------|--|-------------|---|---|----------------------|---------------|------|
| | | | | | | | | DEC. | TOLERANCE | | | CHK | ML | |
| | | | | | | | | .X | ± .1 | | | APPD | TB 05-20-2002 | |
| | | | | | | | | .XX | ± .03 | TITLE | | SCALE | | |
| | | | | | | | | .XXX | ± .005 | 320 FR. - BB - STD - 12.50 LAM - C'FACE | | REF | | |
| | | | | | | | | .XXXX | ± .0005 | ✓ | SURFACE ROUGHNESS UNLESS SPECIFIED | MAT'L. | FINISH | |
| | | | | | | | | CHK | ANG ± 7'30" | | | FMF | PREV | |
| DASH | FRAME | B | C | 2F | 2FF | BS | AG | PURCHASED | | CAD FILE 55311268LE | | SIZE | DRAWING NO. | REV. |
| 1475 | 324T | 14.00 | 40.41 | 10.50 | | 5.25 | 35.41 | THIS DRAWING IN DESIGN AND DETAIL IS OUR PROPERTY AND MUST NOT BE USE EXCEPT IN CONNECTION WITH OUR WORK. ALL RIGHTS OF DESIGN AND INVENTION ARE RESERVED. THIS IS AND ELECTRONICALLY GENERATED DOCUMENT - DO NOT SCALE THIS PRINT | | | | B | SS311268LE | 1 |
| 1625 | 326T | 14.00 | 41.91 | 12.00 | 10.50 | 6.00 | 36.91 | DIST WA - LB - WC - UX - DR - EX | | | | | | |