



NOTES:

1. C. BOX CAN BE ROTATED IN 90° STEPS.
2. C. BOX CAN BE MOUNTED ON OPPOSITE SIDE.
3. NAMEPLATES TO BE READ FROM CONDUIT BOX SIDE OF MOTOR.

DASH	FRAME	B	C	2F	BS	AG
1825	444TC	17.75	52.72	14.50	7.25	44.47
2025	445TC	19.75	54.72	16.50	8.25	46.47

		TOLERANCES UNLESS SPECIFIED				LEESON		ELECTRIC MOTORS GEARMOTORS AND DRIVES		DRAWN NJS 05-16-2002			
		DEC.	TOLERANCE							CHK	ML		
			.X	± .1						APPD	TB		
			.XX	± .03		TITLE		OUTLINE - TEBC - STD.		SCALE			
			.XXX	± .005				444-445TC - 'C' FACE		REF			
I	NEW DRAWING	CN	35132	NJS	05-20-2002	TB	.XXX	± .0005	✓ SURFACE ROUGHNESS UNLESS SPECIFIED	MAT'L.	FINISH		
NO.	REVISION	BY	DATE	CHK	ANG	± 7'30"					PREV		
THIS DRAWING IN DESIGN AND DETAIL IS OUR PROPERTY AND MUST NOT BE USED EXCEPT IN CONNECTION WITH OUR WORK. ALL RIGHTS OF DESIGN AND INVENTION ARE RESERVED. THIS IS AN ELECTRONICALLY GENERATED DOCUMENT - DO NOT SCALE THIS PRINT						PURCHASED		CAD FILE	SS515884LE	SHOP BOOK	SIZE	DRAWING NO.	REV.
						DIST		WA - ØØ - ØØ - ØØ - ØØ - ØØ	B	SS515884LE	I		