



- NOTES:**
- 1) MAXIMUM FACE RUNOUT TO BE .004 TIR
MAXIMUM PILOT ECCENTRICITY .004 TIR
PERMISSIBLE SHAFT RUNOUT .002 TIR
 - 2) GASKETS THROUGHOUT
 - 3) SHAFT SEAL

N71	11.19	6.46	4.05	W71	14.19	9.46	7.05
M71	10.69	5.96	3.55	V71	13.69	8.96	6.55
L71	10.19	5.46	3.05	U71	13.19	8.46	6.05
K71	9.69	4.96	2.55	T71	12.69	7.96	5.55
J71	9.19	4.46	2.05	R71	12.19	7.46	5.05
H71	8.69	3.96	1.55	P71	11.69	6.96	4.55
FRAME	C	L	AD	FRAME	C	L	AD

				TOLERANCES UNLESS SPECIFIED		ELECTRIC MOTORS GEARMOTORS AND DRIVES		DRAWN BJB 10/12/92			
				DEC.	INCHES			CHK	APPD RPB 10/15/92		
04	ADDED DRAIN HOLE DECAL PER ECR 82156	BPW 05/08/03	SAD .X	±.1	TITLE		OUTLINE PERMANENT MAGNET DCMOTOR IEC 71 B5		SCALE 1=2		
03	ADDED "CE" DECAL PER ECR 76532	BPW 09/18/02	SAD .XX	±.03					REF		
02	ADDED DECAL NOTE PER ECR 76421	BPW 06/11/02	IPG .XXX	±.005	MAT'L		WASHGUARD		FMF 42D17V01		
01	DELETED SCREW 6 O'CLOCK PER ECR 50749	JRA 03/18/95	.XXXX	±.0005					PREV		
NO.	REVISION	BY & DATE	CHK	ANG	±1/2"	FINISH	STANDARD	PREV			
THIS DRAWING IN DESIGN AND DETAIL IS OUR PROPERTY AND MUST NOT BE USED EXCEPT IN CONNECTION WITH OUR WORK ALL RIGHTS OF DESIGN AND INVENTION ARE RESERVED THIS IS AN ELECTRONICALLY GENERATED DOCUMENT - DO NOT SCALE THIS PRINT						RFP	CAD FILE	027566	SIZE	DRAWING NO.	REV.
						DIST			B	027566.00	04

ERROR: syntaxerror
OFFENDING COMMAND: --nostringval--

STACK:

/RS
-dictionary-
/Pscript_WinNT_Compat
-dictionary-