



NOTES:

1. BOX CAN BE ROTATED IN 90° STEPS.
2. BOX CAN BE MOUNTED ON OPPOSITE SIDE BY REMOVING BRACKETS AND TURNING FRAME 180°.
3. NAMEPLATE TO BE READ FROM CONDUIT BOX SIDE OF MOTOR.

DASH	FR.	C	B	BS	2F	2FF	FOOT HOLE QTY	MOUNTING
1150	324T	28.87	13.00	5.25	—	10.50	4	F1 OR F2
1300	324/6T	30.37	14.50	6.00	10.50	12.00	8	F1 OR F2
1450	326T	31.87	15.00	6.75	12.00	13.50	8	F1 OR F2

		TOLERANCES UNLESS SPECIFIED		<b>LEESON</b> ELECTRIC MOTORS GEARMOTORS AND DRIVES	DRAWN JJB 09-23-2008
		DEC.	INCHES		CHK ML 09-24-2008
		.X	±.1		APPD DR 09-24-2008
		.XX	±.03		SCALE 3=16
		.XXX	±.005	TITLE OUTLINE 320T FR. - TEFC	REF
		.XXXX	±.0005	MAT'L	FMF MU87714
NO.	REVISION	BY & DATE	CHK ANG ±7'30"	FINISH	PREV
THIS DRAWING IN DESIGN AND DETAIL IS OUR PROPERTY AND MUST NOT BE USED EXCEPT IN CONNECTION WITH OUR WORK ALL RIGHTS OF DESIGN AND INVENTION ARE RESERVED THIS IS AN ELECTRONICALLY GENERATED DOCUMENT - DO NOT SCALE THIS PRINT				RFP CAD FILE SS300575LE	SIZE B
				DIST LB	DRAWING NO. PAGE OF REV. SS300575LE