



Choosing an NSF Certified product provides confidence the warning light will optimally perform in your environment, even after exposure to rigorous sanitation processes.

NSF Certification is an ANSI-accredited product certification that adheres to more than 75 acceptable sanitation requirements and protocols for equipment and materials intended for use in commercial food service.

Federal Signal warning lights are NSF Certified for Splash and Non-Food Zones to Standard NSF/ANSI 2: Food Equipment. Products that meet requirements in this standard are intended to protect against contamination and ensure materials can resist wear and effects from food, heat, cleaning compounds and sanitizers.

The NSF Certification began as a food and beverage industry standard and overtime was adopted by additional industries that also prioritize cleanliness and sanitation.

NSF

ZONE

NON-FOOD ZONES

Areas that are not exposed to food or splashes but may be subject to minor dirt or debris



Kitchens, food storage, dry process area, damp process areas where there is no drip possibility

SPLASH ZONES

Areas that are exposed to routine soiling from splashes and spills but are not surfaces intended for contact with consumable food



Wet or damp process areas, high pressure purging and/or decontaminations and washdown areas

HOW

IS NSF DIFFERENT FROM IP69K?

Not only do these products meet IP69K testing, they have also met NSF Certification to resist water, dust and debris accumulation, withstand cleaning and sanitation compounds, and meet Splash and Non-Food Zone material standards.











PRODUCT FEATURE

Withstands high pressure and temperature washdowns

Resists water and dust/debris ingress

Resists water and dust/debris accumulation

Withstands cleaning/sanitation compounds

Meets NSF material standards for Splash and Non-Food Zones

IP69K


















NSF and IP69K ensure the highest confidence of product reliability in harsh environments where sanitation and cleanliness are required.

NSF PRODUCTS FEATURE

- Easily cleanable
- Smooth body and elliptical lens
- No horizontal flat surfaces
- No small areas or crevices

- No exposed fasteners or threads
- Fully gasketed and sealed
- · Resists water and dust accumulation

MODEL 225XL-N

Flashing/Steady LED Warning Light



FEATURES

- Available in 24VAC/DC or 120-240VAC
- Five color options: Amber, Blue, Clear, Green Red
- Flashing 60 FPM or steady
- 1/2-inch NPT pipe mount (dome up)

CERTIFICATIONS

- Type 4X, IP66 enclosure
- IP69K compliant
- Marine Listed
- NSF Certified to Non-Food and Splash Zones
- UL and cUL Listed for Class I, Division 2, Groups A, B, C and D; Class II, Division 2, Groups F and G; Class III

MODEL 121SLED-N

Rotating LED Warning Light



FEATURES

- Available in 120VAC
- Five color options: Amber, Blue, Clear, Green and Red
- Rotating LED (60 R/Min.)
- Integrated 1/2-inch NPT pipe and surface mount (dome up)

CERTIFICATIONS

- Type 4X, IP66 enclosure
- IP69K compliant
- NSF Certified to Non-Food and Splash Zones
- UL and cUL Listed

EXAMPLES OF CHEMICALS FEDERAL SIGNAL NSF SIGNALS CAN WITHSTAND

Acetic Acid	Benzonitrile	Fluosilicic Acid	Lithium Chloride	Ozone	Sodium Benzoate
Acetic Acid 20%	Butanol (Butyl Alcohol)	Formaldehyde 100%	Lubricants	Paraffin	Sodium Bicarbonate
Acetic Acid 80%	Buttermilk	Formaldehyde 40%	Magnesium Bisulfate	Pentane	Sodium Bisulfate
Acetic Acid, Glacial	Calcium Nitrate	Formic Acid	Magnesium Carbonate	Phenol (10%)	Sodium Bisulfite
Alcohols: Amyl	Calcium Sulfate	Freon 113	Magnesium Chloride	Phosphoric Acid (>40%)	Sodium Borate (Borax)
Alcohols: Butyl	Carbonic Acid	Fuel Oils	Magnesium Hydroxide	Phosphoric Acid (crude)	Sodium Carbonate
Alcohols: Ethyl	Chocolate Syrup	Gasoline (high aromatic)	Magnesium Nitrate	Phosphoric Acid (S40%)	Sodium Chlorate
Alcohols: Isopropyl	Chromic Acid 10%	Gasoline, leaded, ref.	Magnesium Sulfate (Epsom Salts)	Photographic Developer	Sodium Chloride
Alcohols: Methyl	Chromic Acid 5%	Gasoline, unleaded	Manganese Sulfate	Photographic Solutions	Sodium Chromate
Aluminum Chloride	Cider	Glucose	Mercuric Chloride (dilute)	Phthalic Anhydride	Sodium Hydroxide (20%)
Aluminum Chloride 20%	Citric Acid	Glycerin	Mercurous Nitrate	Potassium Bromide	Sodium Peroxide
Aluminum Hydroxide	Copper Sulfate>5%	Heptane	Methanol (Methyl Alcohol)	Potassium Chlorate	Sodium Sulfate
Aluminum Nitrate	Copper Sulfate 5%	Honey	Methyl Alcohol 10%	Potassium Chloride	Stannic Chloride
Aluminum Potassium Sulfate 10%	Cupric Acid	Hydrochloric Acid 20%	Milk	Potassium Dichromate	Stearic Acid
Aluminum Potassium Sulfate 100%	Cyclohexane	Hydrocyanic Acid (Gas 10%)	Motor oil	Potassium Nitrate	Stoddard Solvent
Aluminum Sulfate	Detergents	Hydrogen Gas	Mustard	Potassium Permanganate	Sulfur Dioxide (dry)
Ammonium Chloride	Diesel Fuel	Hydrogen Peroxide 10%	Naphtha	Potassium Sulfate	Sulfuric Acid (<10%)
Ammonium Oxalate	Diethylene Glycol	Hydrogen Peroxide 100%	Nickel Chloride	Propylene Glycol	Sulfuric Acid (10-75%)
Ammonium Phosphate, Dibasic	Epsom Salts (Magnesium Sulfate)	Hydrogen Peroxide 30%	Nickel Sulfate	Resorcinol	Tomato Juice
Ammonium Sulfate	Ethanol	Hydrogen Peroxide 50%	Nitric Acid (20%)	Salicylic Acid	Vinegar
Amyl Alcohol	Ethylene Diamine	Hydrogen Sulfide (aqua)	Nitric Acid (50%)	Salt Brine (NaCl saturated)	Water, Acid, Mine
Antimony Trichloride	Ethylene Glycol	Isooctane	Nitric Acid (5-10%)	Sea Water	Water, Distilled
Arsenic Acid	Fatty Acids	Jet Fuel (JP3, JP4, JP5)	Oils: Citric	Silicone	Water, Fresh
Barium Carbonate	Ferric Chloride	Lacquer Thinners	Oils: Fuel Oil (1, 2, 3, 5A, 5B, 6)	Silver Nitrate	Water, Salt
Barium Chloride	Ferric Nitrate	Lactic Acid	Oils: Mineral	Soap Solutions	Whiskey & Wines
Beer	Ferric Sulfate	Lard	Oils: Olive	Soda Ash (see Sodium Carbonate)	Zinc Chloride
Benzoic Acid	Ferrous Sulfate	Lead Sulfamate	Oils: Pine	Sodium Acetate	Zinc Sulfate



2645 Federal Signal Drive University Park, IL 60484 Tel: +1 708.534.4756 www.fedsig.com/nsf