
# Datasheet - AZM 415-STS30-07

Solenoid interlock / AZM 415 / Door-handle system STS / AZM 415-STS30





- Latching handle
- · Suitable for all types of guard

### **Ordering details**

Product type description AZM 415-STS30-07

Article number 101176899

EAN code 4030661307299

eCl@ss 27-27-92-16

### **Global Properties**

Product name AZM 415-STS30

Weight 500 g

#### **Mechanical data**

emergency handle (Y/N) No
Shearing force 30000 N
Actuator mounted outside
Door hinge right

# notice

The drawings are always shown with a view to the switch.

# Included in delivery

Mounting plate for safety switch Actuator including mounting plate

#### **Documents**

Operating instructions and Declaration of conformity (es) 573 kB, 14.02.2012

Code: mrl\_az-azm-sts30\_es

Operating instructions and Declaration of conformity (it) 556 kB, 11.06.2012

Code: mrl\_az-azm-sts30\_it

Operating instructions and Declaration of conformity (de) 680 kB, 02.12.2011

Code: mrl\_az-azm-sts30\_de

Operating instructions and Declaration of conformity (fr) 556 kB, 18.09.2012

Code: mrl\_az-azm-sts30\_fr

Operating instructions and Declaration of conformity (da) 555 kB, 26.01.2012

Code: mrl\_az-azm-sts30\_da

Operating instructions and Declaration of conformity (pl) 506 kB, 21.11.2013

Code: mrl\_az-azm-sts30\_pl

Operating instructions and Declaration of conformity (jp) 612 kB, 11.06.2012

Code: mrl\_az-azm-sts30\_jp

Operating instructions and Declaration of conformity (pt) 556 kB, 11.06.2012

Code: mrl\_az-azm-sts30\_pt

Operating instructions and Declaration of conformity (en) 555 kB, 26.01.2012

Code: mrl\_az-azm-sts30\_en


Operating instructions and Declaration of conformity (nl) 579 kB, 20.09.2012

Code: mrl\_az-azm-sts30\_nl

#### **Images**



Product photo



Dimensional drawing (basic component)

K.A. Schmersal GmbH & Co. KG, Möddinghofe 30, D-42279 Wuppertal The data and values have been checked throroughly. Technical modifications and errors excepted. Generiert am 31.07.2015 - 05:52:00h Kasbase 3.1.12.F.64I