
Datasheet - AZM 415-STS30-08

Solenoid interlock / AZM 415 / Door-handle system STS / AZM 415-STS30





- · Suitable for all types of guard

· Latching handle

(Minor differences between the printed image and the original product may exist!)

Ordering details

AZM 415-STS30-08 Product type description

Article number 101176900 EAN code 4030661307305 eCl@ss

27-27-92-16

Global Properties

Product name AZM 415-STS30

Weight 1460 g

Mechanical data

emergency handle (Y/N) Nο 30000 N Shearing force Actuator mounted outside

Door hinge left

notice

The drawings are always shown with a view to the switch.

Included in delivery

Mounting plate for safety switch Actuator including mounting plate

Documents

Operating instructions and Declaration of conformity (es) 573 kB, 14.02.2012

Code: mrl_az-azm-sts30_es

Operating instructions and Declaration of conformity (it) 556 kB, 11.06.2012

Code: mrl_az-azm-sts30_it

Operating instructions and Declaration of conformity (de) 680 kB, 02.12.2011

Code: mrl_az-azm-sts30_de

Operating instructions and Declaration of conformity (fr) 556 kB, 18.09.2012

Code: mrl_az-azm-sts30_fr

Operating instructions and Declaration of conformity (da) 555 kB, 26.01.2012

Code: mrl_az-azm-sts30_da

Operating instructions and Declaration of conformity (pl) 506 kB, 21.11.2013

Code: mrl_az-azm-sts30_pl

Operating instructions and Declaration of conformity (jp) 612 kB, 11.06.2012

Code: mrl_az-azm-sts30_jp

Operating instructions and Declaration of conformity (pt) 556 kB, 11.06.2012

Code: mrl_az-azm-sts30_pt

Operating instructions and Declaration of conformity (en) 555 kB, 26.01.2012

Code: mrl_az-azm-sts30_en


Operating instructions and Declaration of conformity (nl) 579 kB, 20.09.2012

Code: mrl_az-azm-sts30_nl

Images



Product photo



Dimensional drawing (basic component)

K.A. Schmersal GmbH & Co. KG, Möddinghofe 30, D-42279 Wuppertal The data and values have been checked throroughly. Technical modifications and errors excepted. Generiert am 31.07.2015 - 05:54:40h Kasbase 3.1.12.F.64l