

BALDOR® • RELIANCE

Product Information Packet


WALKER INDUSTRIAL PRODUCTS, INC.

ERM3116



1HP,1750RPM,3PH,60HZ,56H,3520M,OPEN,F1,N

Part Detail							
Revision:	C	Status:	PRD/A	Change #:		Proprietary:	No
Type:	AC	Prod. Type:	3520M	Elec. Spec:	35WGN726	CD Diagram:	CD0005
Enclosure:	OPEN	Mfg Plant:		Mech. Spec:	35E411	Layout:	35LYE411
Frame:	56H	Mounting:	F1	Poles:	04	Created Date:	10-01-2014
Base:	RS	Rotation:	R	Insulation:	F	Eff. Date:	08-14-2015
Leads:	9#18					Replaced By:	
Literature:		Elec. Diagram:					


Nameplate NP3155L							
CAT.NO.	ERM3116						
SPEC.	35E411N726G1						
HP	1						
VOLTS	230/460						
AMP	2.9/1.45						
RPM	1750						
FRAME	56H	HZ	60	PH	3		
SER.F.	1.15	CODE	M	DES	B	CL	F
F.L. AVG. EFF.	83.5	PF	73				
RATING	40C AMB-CONT						
CC		USABLE AT 208V	3				
DE	6203	ODE	6203				
ENCL	OPEN	SN					



CD0005

LOW VOLTAGE
(2Y)

LINE

HIGH VOLTAGE
(1Y)

LINE

NOTES:

1. INTERCHANGE ANY TWO LINE LEADS TO REVERSE ROTATION.
2. OPTIONAL THERMOSTATS ARE PROVIDED WHEN SPECIFIED.
3. ACTUAL NUMBER OF INTERNAL PARALLEL CIRCUITS MAY BE A MULTIPLE OF THOSE SHOWN ABOVE.
4. LEAD COLORS ARE OPTIONAL. LEADS MUST ALWAYS BE NUMBERED AS SHOWN.

REV. DESC: REVISE TO SHOW OPTIONAL COLORS

REV. LTR: E

BY: JLP

REVISED: 01/19/99 10:15

TDR: 0171435

900000

FILE: AAA00005140

MDL: -

MTL: -

BALDOR ELECTRIC Co.

3PH, DV, 9 LEADS

CD0005